

strada ee

barista-friendly design,
traditional semi-automatic
brewing control.

For the first time ever, an espresso machine manufacturer asked the baristas what they wanted.


In an aim to complete the Strada line of models, the Strada EE is characterized by its underlying mechanical and electronic features (semi-automatic technology) built within the design of the Strada. The initials "EE" refer to a feature whereby brewing is activated by the simple start & stop motion of the paddle on the group head, albeit with electronic pre-infusion. The Strada EE model includes individual brew boilers, proportional steam valves featuring anti-suction valves, a thermal stability system and easy-access for preventative maintenance.



la marzocco

handmade in florence

strada ee features and specifications



Semi-Automatic Paddle

The semi-automatic paddle is inspired by the paddle used on most La Marzocco machines since the 1970s. It is controlled with La Marzocco's classic paddle interface, manually operated by the barista. The initial 'EE' refer to a feature whereby brewing is activated by the simple start & stop motion of the paddle on the grouphead, albeit with electronic pre-infusion.

Independent Boilers

Separate boilers for each group head allow barista to optimize temperature for individual coffees.

Thermal Stability System

As water passes through each element, temperature is further stabilized.

Dual PID (coffee and steam)

Allows you to electronically control coffee and steam boiler temperature.

Hot Water Economizer

Enables you to fine-tune the tap water temperature for tea.

Tall Cups

Allows you to use the machine with tall, to-go cups.

Ruby Flow Restrictors

Ruby flow restrictors resist scale formation and erosion.

Insulated Boilers

Reduce energy consumption while contributing to temperature stability.

Exposed Groups

Ergonomics and workspace visibility.

Digital Display

Intuitive programming makes it easy to adjust machine parameters,

Proportional Steam Valve

Lever-style activation for proportional solenoid steam valve eliminates the need for regular maintenance.

Portafilters & Precision Baskets

Stainless steel portafilters and precision baskets improve your cup quality and consistency.

Performance Touch Steam Wands

High performing steam wands that are cool to the touch.

Cup Warmer*

Maintain espresso and cappuccino cups heated at a proper temperature.

Personalized Color*

Customizable colors based on the RAL color system, on request.

* Special Order

2 Groups

3 Groups

Height (cm/in)	47,5 / 19	47,5 / 19
Width (cm/in)	80 / 31,5	100 / 40
Depth (cm/in)	67,5 / 26,5	67,5 / 26,5
Weight (kg/lbs)	85 / 187,4	102 / 224,9
Voltage	200V Single/3 Phase	200V Single/3 Phase
	220V Single/3 Phase	220V Single/3 Phase
	380V 3 Phase	380V 3 Phase
Wattage Elements	4500 (200V)	5500 (200V)
	4600 (220/380V)	6400 (220/380V)
Coffee Boiler Capacity (liters)	2 x 1,3	3 x 1,3
Steam Boiler Capacity (liters)	8,2	11,8