



F 28
Chest Freezer

Derby

Chest Freezer Derby

Versatile, practical, good-looking and efficient: all you expect from a Chest Freezer

The superior quality of the Derby brand can also be proved through its Chest Freezer line. They are resistant and have great performance, developed to meet all the needs of traders.

With maximum refrigeration expertise and design tradition, Derby can offer an incredible range of sizes and lid opening options that fit any point of sale. That is why it will always be the best option of Chest Freezer for your establishment.




- **Adjustable thermostat**
- **Castors***
Produce smooth and more controllable movement.
- **Front pannel***
For easy temperature read-out and control lamp.
- **Highly hygienic**
- **Ideal storage for fast food outlets**
- **Integrated handle**
- **Internal light***
Allowing good product visibility.
- **Maximum storage space**
- **Stainless steel available***
- **The perfect storage freezer**
- **Thermometer***
Informs you about internal temperature.
- **Wide assortment of baskets***
Baskets with dividers allow good arrangement of the products.



HINGED LID



INTEGRATED HANDLE



ALUMINIUM INNER LINER



CASTORS*



STAINLESS STEEL LID AVAILABLE*

* Options

DIMENSIONS



Capacity

| | |
|-----------------------------|------------|
| Gross (liters / cubic feet) | 183 / 6.46 |
| Net (liters / cubic feet) | 173 / 6.10 |

External dimensions

| | |
|----------------------|-------------|
| Width (mm / inches) | 750 / 29.52 |
| Height (mm / inches) | 855 / 33.66 |
| Depth (mm / inches) | 730 / 28.74 |

Internal dimensions

| | |
|-----------------------|-------------|
| Width (mm / inches) | 580 / 22.83 |
| Height* (mm / inches) | 680 / 26.77 |
| Depth (mm / inches) | 530 / 20.86 |

Weight

| | |
|----------|----|
| Net (kg) | 46 |
|----------|----|

* Not considered the compartment for the compressor.



TRANSPORTATION



Packaging

| | |
|----------------------|-------------|
| Width (mm / inches) | 760 / 29.92 |
| Height (mm / inches) | 960 / 37.79 |
| Depth (mm / inches) | 750 / 29.52 |

Loading container

| | |
|---------|---|
| 20 feet | - |
| 40 feet | - |


Piling up

| | |
|---------|---|
| Maximum | - |
|---------|---|

Weight

| | |
|------------|---|
| Gross (kg) | - |
|------------|---|

REAL SIZE



TEMPERATURE RANGE



| | |
|------------------------|--------------|
| Temperature range (°C) | -11 to -22 |
| Temperature range (°F) | 12.2 to -7.6 |
| Climate class | 4 & 4+ |

TECHNOLOGY



| | |
|-----------------------------------|-----------|
| Type of evaporator | Aluminium |
| Type of refrigeration agent (gas) | R134A |

POWER



| | |
|------------------------------|-------------|
| Voltage / Frequency | 230V / 50Hz |
| Voltage / Frequency | - |
| Voltage / Frequency | - |
| Power (W) | 113 |
| Energy consumption (KWh/24h) | - |

MERCHANDISING AREA



| Sidewall | | Front | |
|-------------|---|-------------|---|
| Width (mm) | - | Width (mm) | - |
| Height (mm) | - | Height (mm) | - |

OPTIONS



- Removable Baskets
- Internal Light
- Castor
- Quick Freezing
- Control Pannel
- Thermometer