



DRINK MIXER AK/2 SERIES
USER AND MAINTENANCE MANUAL



KIOSIDIS PRIVATE COMPANY P.C., COMMERCIAL BAR EQUIPMENT

16th km THESSALONIKI – SERRES, P.O. BOX 21,
572 00 LITI, THESSALONIKI, GREECE

TEL.: (+30 23940) 73536 & 73537, FAX: (+30 23940) 73538

e-mail: export@johny.gr, Web site: www.johny.gr

A few words about your drink mixer...

Your new drink mixer is the result of years of research combined with our love for what we do. We would like to thank you for your choice, being confident that you will have a valuable partner for many-many years to come. With the drink mixer JOHNY you can prepare not only iced coffee but also milkshakes, cocktails, smoothies e.t.c. Prior to your first use of the drink mixer we would recommend you to read this manual carefully.

Choice of place...

Your drink mixer should be used on a level, stable surface away from water. Power should be supplied directly from an AC power socket, suitable to the plug of the mixer and to its voltage rating, while the use of extension cords should be avoided. In case of power cord (mains cable) damage, this must be replaced by the manufacturer or by an authorized technician, to avoid the danger of a bad connection. Make sure that the area where your mixer is installed and operates is dry and free of any grease.

Operation...

As with all equipment, your drink mixer should be used by adults familiar with its operation. The drink mixer should never be used with wet hands. Place all ingredients in the special cup supplied with the mixer, without overfilling. Insert the stirrer in the cup and turn the appliance on using the switch located on the top of the mixer, choosing the required speed. The mixer stops when the cup is removed from its support, since the appliance is equipped with a microswitch. Besides the basic 2-speed model (AK/2-2TA), also available are the models with the 5-speed switch (AK/2-5TA) and with the TIMER switch for the automatic operation of the mixer, programming the running time up to 99 seconds (AK/2-2TA TIMER). Our latest model, the AK/2-5T PULSE, can operate either as a standard five speed drink mixer or as a PULSE mode drink mixer allowing the appliance to alternate the r.p.m. of the motor. Just select the speed (1-5 touch pad selector) by pressing the up and down arrow and the pulse mode. Extra features, 90 sec. auto stop, one-time speed and mode selection while the power button is on. For the types AK/2-2T PR and AK/2-5T PR there is a differentiation only on the cup and the cup supports. At the end of the day the appliance must be unplugged.

A few hygiene rules

When designing your drink mixer great attention was given to the European standards of hygiene. The stirring shaft is made of stainless steel, the head of the mixer is completely sealed and at the stirring point (agitator) there are no edges or corners where food residues could accumulate and harmful bacteria could harbour. However, besides the great care taken by the manufacturer, it would be worthwhile to remind you of the simple and useful hygiene rules that you should follow.

First of all, for the cleaning of the head of your drink mixer, you should use a damp cloth and only after the drink mixer has been unplugged.




After each use and also at the end of the day, fill the mixer cup with a little water and dish washing liquid and stir for a few seconds. Repeat 2-3 times with fresh water to rinse.

In case you use the drink mixer for the mixing of ingredients other than coffee or drinks, for instance egg, milk or other fatty products, it would be useful to clean the stirring point (agitator) frequently by filling the mixer cup with a glass of water and a teaspoonful of chlorine based or other disinfectants and stirring the solution for a few seconds. Never forget to rinse thoroughly with fresh water.

WARNING: NEVER TRY TO REPAIR THE APPLIANCE BY YOURSELVES. CONTACT THE AUTHORIZED PERSONNEL OR YOUR SUPPLIER. NEVER REPLACE THE WIRE CORD.

TECHNICAL SPECIFICATIONS

MODEL	R.P.M.	VOLTS	MOTOR POWER	DIMENSIONS (mm)			CONTAINER CAPACITY	CONTAINER NET CAPACITY
				L	W	H		
AK/2-2T	18.600/26.000	220-240V/50-60Hz	400 W	170	175	465	1000ml	500 ml
AK/2-5TA	2.700 – 26.000	220-240V/50-60Hz	400 W	170	175	465	1000ml	500 ml
AK/2-2TA	18.600/26.000	220-240V/50-60Hz	400 W	170	175	465	1000ml	500 ml
AK/2-2TA TIMER	18.600/26.000	220-240V/50-60Hz	400 W	170	175	465	1000ml	500 ml
AK/2-2T PR	18.600/26.000	220-240V/50-60Hz	400 W	170	175	465	800ml	400 ml
AK/2-5T PR	2.700-26.000	220-240V/50-60Hz	400 W	170	175	465	800ml	400 ml
AK/2-5T PULSE	10.000-26.000	220-240V/50-60Hz	400 W	170	175	465	1000ml	500 ml

	<p align="center">"JOHNY" –KIOSIDIS PRIVATE COMPANY P.C. 16TH KM THESSALONIKIS – SERRES, LITI, 57200 THESSALONIKI, GREECE</p>	
<p align="center">ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ EU DECLARATION OF CONFORMITY</p>		
<p align="center">σύμφωνη με τις παρακάτω οδηγίες / according to the following directives:</p>		
<p align="center">(LVD) Low Voltage 2014/35/EU (EMC) Electromagnetic Compatibility 2014/30/EU (RoHS) Restriction of Hazardous Substances 2015/863/EU amending 2011/65/EU</p>		
Τύπος εξοπλισμού / Type of equipment:	DRINK MIXER	
Μάρκα / Brandname or trademark:	JOHNY	
Τύπος – Μοντέλο / Type designation – Model:	AK/2-2TA TIMER, AK/2-2T, AK/2-2TA, AK/2-2T TIMER, AK/2-2T PR, AK/2-5T PR, AK/2-5TA, AK/2-5T PULSE	
Αριθμός σειράς / Serial no:	N/A	
Εξουσιοδοτημένος αντιπρόσωπος – Εισαγωγέας Authorized Representative – Importer:	N/A	
<p>Ο κατασκευαστής δηλώνει με αποκλειστική του ευθύνη, ότι ο εξοπλισμός ακολουθεί τις πρόνοιες των παραπάνω οδηγιών, όπως αυτές σχετίζονται με τα παρακάτω έγγραφα αναφοράς. Εάν γίνει οποιαδήποτε αλλαγή στο προϊόν, το οποίο καλύπτεται από την παρούσα δήλωση συμμόρφωσης, η παρούσα δήλωση δεν είναι πλέον έγκυρη.</p> <p>The manufacturer declares under sole responsibility that the equipment follows the provisions of the Directives stated above as these related to the following reference documents. If changes are made to the product that is covered by this declaration of conformity then the declaration of conformity is no longer valid.</p>		
<p>LVD: EN 60335-2-14:2006+A11:2012+AC:2012+AC:2016, EN 60335-1:2012+A11:2014+AC:2014, EN 62233:2008+AC:2008</p> <p>EMC: EN 55014-1:2006+A1:2009+A2:2011, EN 55014-2:2015, EN 61000-3-2:2014, EN 61000-3-3:2013</p> <p>RoHS: IEC 62321-1:2013, IEC 62321-2:2013, IEC 62321-3-1:2013, IEC 62321-4:2014, IEC 62321-5:2013, IEC 62321:2008, IEC 62321-7-1:2015, IEC 62321-6:2015, EN 14372:2004</p>		
Έτος πρώτης επίθεσης σήματος CE Year in which CE marking initially was affixed:	11	
Ημερομηνία και τόπος έκδοσης: Date and place of issue:	04/07/2017 – Θεσσαλονίκη – Ελλάδα 04/07/2017 – Thessaloniki – Greece	
Εξουσιοδοτημένο άτομο για να υπογράψει το παρόν εκ μέρους του κατασκευαστή: Person empowered to sign on behalf of the manufacturer:	ΑΝΑΣΤΑΣΙΑ ΚΙΟΣΙΔΟΥ ANASTASIA KIOSIDOU	
Υπογραφή / Signature 	Σφραγίδα / Stamp <p align="center"> "JOHNY" KIOSIDIS PRIVATE COMPANY P.C. COMMERCIAL BAR EQUIPMENT 16th KM THESSALONIKI - SERRES P.O. BOX 21 - 572 00 LITI TEL.: +30 23940 73536-7, FAX: +30 23940 73538 GREECE - VAT NR: EL999672173 </p>	

CERTIFICATE

Management system as per
DIN EN ISO 9001 : 2015

The Certification Body TÜV NORD CERT GmbH hereby confirms as a result of the audit, assessment and certification decision according to ISO/IEC 17021-1:2015, that the organization

KIOSIDIS P.C.
"JOHNY"
16th km Thessaloniki - Serres Road
P.O. BOX 21
572 00 Liti
Hellas



operates a management system in accordance with the requirements of ISO 9001 : 2015 and will be assessed for conformity within the 3 year term of validity of the certificate.

Scope

Design and Manufacturing of Professional Electrical Bar Equipment.

Certificate Registration No. 44 100 084506
Audit Report No. GR-2384/2023

End of Validity of Previous Certificate: 2023-01-10
Valid from 2023-03-02
Valid until 2026-01-10
Initial certification 2008



Certification Body
at TÜV NORD CERT GmbH

Athens, 2023-03-02

TÜV NORD CERT GmbH

Am TÜV 1

45307 Essen

www.tuev-nord-cert.com

